

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 09/09/2004

APPLICATION NO.	FIL	JING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	ATTORNEY DOCKET NO. CONFIRMATION NO	
10/668,014	0	9/22/2003	Jiann-Hsing Chen	81623/LPK	81623/LPK 1910	
7	590	09/09/2004		EXAMINER		
Lawrence P. 1	Kessler		ZACHARIA, RAMSEY E			
Patent Departn	nent					
NexPress Solutions LLC				ART UNIT	PAPER NUMBER	
1447 St. Paul S	Street		1773			
Rochester NV	14653	-7103				

Please find below and/or attached an Office communication concerning this application or proceeding.

	A	pplication No.	Applicant(s)	
		10/668,014	CHEN ET AL.	Y
Office Action Sur	nmaru 🗕	xaminer	Art Unit	
		lamsey Zacharia	1773	
The MAILING DATE of th			ith the correspondence addres	SS
Period for Reply				
A SHORTENED STATUTORY THE MAILING DATE OF THIS  - Extensions of time may be available unde after SIX (6) MONTHS from the mailing da  - If the period for reply specified above is le  If NO period for reply is specified above, it  - Failure to reply within the set or extended Any reply received by the Office later than earned patent term adjustment. See 37 C	COMMUNICATION.  r the provisions of 37 CFR 1.136(a ate of this communication.  ss than thirty (30) days, a reply with maximum statutory period will al period for reply will, by statute, cau three months after the mailing dat	). In no event, however, may a hin the statutory minimum of thir pply and will expire SIX (6) MON use the application to become Al	reply be timely filed  ty (30) days will be considered timely.  ITHS from the mailing date of this commu	nication.
Status				
1) Responsive to communic	ation(s) filed on			
2a) This action is FINAL.		tion is non-final.		
3)☐ Since this application is in			ers, prosecution as to the me	rits is
closed in accordance with				
Disposition of Claims				
	ing in the goalisation			
4) Claim(s) <u>1-46</u> is/are pend	• •			
4a) Of the above claim(s) is/are allo		rom consideration.		
6) Claim(s) <u>1-32 and 34-39</u> is	-			
7)⊠ Claim(s) <u>33</u> is/are objecte				
8) Claim(s) are subject	ct to restriction and/or ele	ection requirement.		
Application Papers				
9)☐ The specification is objected	ed to by the Examiner.			
10)⊠ The drawing(s) filed on <u>22</u>		a) accepted or b)	1 objected to by the Everniner	
Applicant may not request th				•
			s) is objected to. See 37 CFR 1.	40441)
11) The nath or declaration is	phiected to by the Everi	s required it the drawing(	s) is objected to. See 37 CFR 1.7	121(d).
11) The oath or declaration is	objected to by the Exami	mer. Note the attached	Office Action or form PTO-18	52.
Priority under 35 U.S.C. § 119				
12) Acknowledgment is made ( a) All b) Some * c) 1	of a claim for foreign pric None of:	ority under 35 U.S.C. §	119(a)-(d) or (f).	
<ol> <li>1. ☐ Certified copies of the copies of the copies.</li> </ol>	ne priority documents ha	ve been received.		
	ne priority documents ha		onlication No	
3. Copies of the certifie	ed copies of the priority of	locuments have been	received in this National Stag	0
application from the	International Bureau (Po	CT Rule 17 2(a))	occived in this Hational Stag	<del>C</del>
* See the attached detailed O			received	
		sa capido noti		
Attachment(s)				
1) Notice of References Cited (PTO-892)		A) [] tetandan o	Immony (DTO 440)	
2) Notice of Draftsperson's Patent Drawin	g Review (PTO-948)		ummary (PTO-413) /Mail Date	
<ol> <li>Information Disclosure Statement(s) (P Paper No(s)/Mail Date <u>9/22/2003</u>.</li> </ol>	TO-1449 or PTO/SB/08)		formal Patent Application (PTO-152)	
S. Patent and Trademark Office PTOL-326 (Rev. 1-04)	Office Action	Summany	Part of Paper No /Mail Date (	202004

#### **DETAILED ACTION**

#### Election/Restrictions

- 1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
  - I. Claims 1-39, drawn to an article, classified in class 428, subclass 36.8.
  - II. Claims 40-46, drawn to a method, classified in class 427, subclass 385.5.

The inventions are distinct, each from the other because of the following reasons:

- 2. Inventions I and II are related as process of making and product made. The inventions are distinct if either or both of the following can be shown: (1) that the process as claimed can be used to make other and materially different product or (2) that the product as claimed can be made by another and materially different process (MPEP § 806.05(f)). In the instant case the process as claimed can be used to make a materially different product such as a fusing-station belt.
- 3. Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.
- 4. During a telephone conversation with Lawrence P. Kessler on 31 August 2004 a provisional election was made without traverse to prosecute the invention of Group I, claims 1-42. Affirmation of this election must be made by applicant in replying to this Office action. Claims 43-50 are withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

5. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

# **Drawings**

6. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: 12 in Figure 1, 22 in Figure 2, and 125" in Figure 3. Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

# Specification

7. The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

# Claim Rejections - 35 USC § 112

- 8. The following is a quotation of the second paragraph of 35 U.S.C. 112:
  - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 9. Claims 37 and 38 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 10. Claims 37 and 38 are rendered indefinite because it is unclear if the molecular weight recited in the claims is the number average molecular weight, weight average molecular weight, viscosity average molecular weight, etc.

### Claim Rejections - 35 USC § 103

- 11. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Application/Control Number: 10/668,014

Art Unit: 1773

12. Claims 1-32, 34-36, and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over Meguriya (U.S. Patent 6,261,214) in view of Gervasi et al. (U.S. Publication 2002/0102410).

Meguriya teaches heat fixing roll comprising a organopolysiloxane composition containing a hollow filler (column 2, lines 7-12). The hollow filler has elasticity and is made of polymers of (meth)acrylonitrile, (meth)acrylate, or vinylidene chloride with inorganic particles attached to the walls thereof (column 2, lines 13-26). The hollow filler has a diameter of preferably up to 90 µm (column 2, lines 40-42). The preferred concentration of the hollow filler is as low as 0.5 parts by weight per 100 parts of silicone, i.e. approximately 0.5 wt% (column 2, lines 52-55). Conductive agents, such as carbon black, zinc oxide, aluminum oxide, and titanium oxide, may be added to the silicone (column 4, lines 55-57). Silica (i.e. a strength-enhancing filler particle) having a particle size of about 0.1-50 µm may be added to the silicone (column 4, line 64-column 5, line 2). In the embodiment of Example 1, about 5 wt% of silica is added to the composition (column 6, lines 8-17). A fluoro-resin layer, such as polytetrafluoroethylene, may be formed over the silicone layer (column 5, lines 41-45). The silicon is made by heating first at a temperature of about 100 to 150 °C, then at about 180 to 200 °C (column 5, lines 24-28). The silicone has a thermal conductively of as high as  $5.0 \times 10^{-4}$  cal/cm • sec • °C, i.e. about 0.12 BTU/hr/ft/°F (column 5,lines 29-31). The silicone layer has a preferred thickness of 0.2 to 50 mm, i.e. about 0.008 to 2 inches (column 5, lines 38-40). The preferred upper limit of the thickness of the fluoro-resin layer 50 µm, i.e. about 0.002 inch (column 5, lines 63-65).

Meguriya do not teach the presence of a fluoro-thermoplastic polymer in the silicone layer.

Application/Control Number: 10/668,014

Art Unit: 1773

Gervasi et al. is directed to a composition suitable for toner fusing members (paragraph 0002). The composition comprises an interpenetrating network of a polytetrafluoroethylene and a silicone (paragraph 0017). The interpenetrating the silicone with the polytetrafluoroethylene improves the film strength and non-swell characteristics of the resulting material (paragraph 0019).

One skilled in the art would be motivated to interpenetrate the silicone of Meguriya with the polytetrafluoroethylene of Gervasi et al. to improve the strength and non-swell-characteristics of the resulting roller.

Regarding claims 7 and 8, the amount of conductive agent added to the composition directly affects the conductivity of the silicone. That is, the amount of conductive agent added is a results effective variable. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to optimize the amount of conductive agent in the silicone, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. *In re Boesch*, 617 F.2nd 272, 205 USPQ 215 (CCPA 1980).

Regarding claims 17, 18, and 36, the temperature at which the material is made, the curing process, and the size of the particles from which the layer comprising a fluorothermoplastic polymer is made are all product-by-process limitations. When the prior art discloses a product which reasonably appears to be either identical with or only slightly different than a product claim in a product-by-process claim, the burden is on the applicant to present evidence from which the examiner could reasonably conclude that the claimed product differs in kind from those of the prior art. *In re Brown*, 459 F. 2d 531, 173 USPQ 685 (CCPA 1972); *In re Fessman*, 489 F. 2d 742, 180 USPQ 324 (CCPA 1974). Furthermore, the determination of

Application/Control Number: 10/668,014

Art Unit: 1773

patentability for a product-by-process claim is based on the product itself and not on the method of production. If the product in the product-by-process claim is the same or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process. *In re Thorpe*, 227 USPQ 964, 966 (Fed. Cir. 1985) and MPEP § 2113. In this case, the resulting products appear to meet all the structural limitations of the product of claims 17, 18, and 34. Therefore, the burden is on the applicant to conclusively demonstrate that the product formed at a temperature of between about 230-260 °C, a product formed by curing with an electron-beam, and a product formed from using polytetrafluoroethylene particles of about 0.01-1 mm in diameter are different from that disclosed by the prior art.

Regarding claim 25, a thermal conductivity of 5.0x10<sup>-4</sup> cal/cm • sec • °C is taken to read on approximately 0.2 BTU/hr/ft/°F.

Regarding claims 29 and 30, the Shore A hardness is a material property. Since the both the material claimed and that of the prior art are fluoro-thermoplastic polymers containing hollow particles they should have the same Shore A hardness.

## Allowable Subject Matter

- 13. Claim 33 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 14. The following is a statement of reasons for the indication of allowable subject matter.

The invention of claim 33 is directed to a fusing-station roller comprising a rigid cylindrical core and a resilient layer formed on the core. The resilient layer comprises a

fluoropolymer material made by curing a fluoro-thermoplastic material of 1-50 mol% vinylidene fluoride, 9-59 mole% hexafluoropropylene, and 40-90 mole% tetrafluoroethylene. The resilient layer further comprises microsphere particles having flexible walls and solid filler particles.

Meguriya and Gervasi et al. represent the closest prior art. However, neither Meguriya nor Gervasi et al. teach or fairly suggest a fusing-station roller as claimed wherein the fluoropolymer is formed by curing a fluoro-thermoplastic material of 1-50 mol% vinylidene fluoride, 9-59 mole% hexafluoropropylene, and 40-90 mole% tetrafluoroethylene.

#### Conclusion

15. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ramsey Zacharia whose telephone number is (571) 272-1518. The examiner can normally be reached on Monday through Friday from 9 to 5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Deborah Jones, can be reached on (571) 272-1535. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Bomsey Zacharia Primary Examiner Tech Center 1700